



Winston H. Hickox
Agency Secretary

Air Resources Board

Alan C. Lloyd, Ph.D.
Chairman

9528 Telstar Avenue • P.O. Box 8001 • El Monte, California 91731 • www.arb.ca.gov



Gray Davis
Governor

March 19, 2002

Dr. Marc Rumminger
Cleaire Advanced Emission Controls
14775 Wicks Boulevard
San Leandro, California 94577-6779

Dear Dr. Rumminger:

The California Air Resources Board (ARB) previously verified that the Johnson Matthey Continuously Regenerating Technology (CRT) filter system reduces emissions of diesel particulate matter (PM) by 85 percent or greater from Cummins M11, 1994-1998 engines, for an emissions durability of 150,000 miles, thereby qualifying the CRT as a Level 3 retrofit device. The ARB has now reviewed Cleaire's request for extending the verification of the CRT to include Cleaire's Flash and Catch™ system. Based on its evaluation of the data provided by Cleaire, ARB hereby approves Cleaire's Flash and Catch™ Johnson Matthey CRT based system as a Level 3 retrofit device which also obtains a 25 percent oxides of nitrogen (NOx) reduction for long haul truck (steady state) applications. All the conditions and stipulations of the Johnson Matthey verification and extension verification hereby apply in full to Cleaire's Flash and Catch™ retrofit system. These conditions are:

- Certified in California for on-road applications,
- Four-stroke,
- Certified at a PM emission level of at most 0.1 grams per brake horsepower-hour (g/bhp-hr), and
- Turbocharged

Additional conditions specific to Flash and Catch™ are:

- The engine must be “reflashed” according to Cummins approved specifications.
- The engine and Control Parts List (CPL) numbers must be covered by the Cummins Consent Decree.
- The engine’s injectors must be replaced with Cummins ReCon® replacement fuel injectors.

The approved engines do not employ exhaust gas recirculation (EGR) and were not certified new with diesel particulate filters. The engines families and CPL number combinations in Table 1 are those that are covered by the Consent Decree and have received prior verification for the Johnson Matthey CRT.

Table 1. Overview of Cummins M11 Engines Model Years 1994-1998

Engine Family	Control Parts List Number
RCE661EJDARW	1856
RCE661FJDARA	1855, 1857
SCE661EJDARW	1856
SCE661EJDARA	1855, 1857
SCE661EJDASW	2036
SCE661EJDATW	2037
TCE661EJDARW	1856
TCE661EJDASW	1855, 1857
TCE661EJDARB	2036
TCE661EJDATW	2037
VCE661EJDATW	2037
VCE661EJDASA	1855, 1856, 1857
VCE661EJDARB	2036
WCEXH0661MAA	2371
WCEXH0661MAB	2370

The aforementioned extension of verification is valid provided the following operating criteria are met:

1. The engine must be operated with a fuel that has a sulfur content of no more than 15 parts per million by weight.
2. The average engine exhaust temperature must be at least 260 degrees Celsius for 40 percent of the operating cycle.
3. The engine's exhaust must produce a NOx/PM ratio of at least 8, with a preference for a NOx/PM ratio of 15 or higher.
4. The engine should be well maintained and not consume lubricating oil at a rate greater than that specified by the engine manufacturer.
5. Cleaire must install a backpressure monitor and indicator light on all vehicles retrofitted with a CRT.
6. The vehicle is used for predominantly long haul steady state applications.
7. The engine family and corresponding CPL number has a corresponding low NOx recalibration supported by Cummins (Attachment 1).
8. The fuel injectors are replaced with reconditioned Cummins fuel injectors (Table 2).

Table 2: CPL and ReCon® Injector Combinations

CPL Number	ReCon® Injector Number
1855, 1856, 1857	3087557 PX
2036, 2037, 2370, 2371	3411753 PX

Since there may be significant variations from application to application, Cleaire must review actual vehicle operating conditions and perform temperature and speed data logging prior to retrofitting a vehicle with the CRT system to ensure compatibility.


Dr. Marc Rumminger
March 19, 2002
Page 4

The ARB estimates that the Cleaire Flash and Catch™ CRT system will incur no discernible fuel economy penalty when used in a compatible application.

The ARB granting verification to the Cleaire Flash and Catch™ system is independent of the Consent Decree agreement between Cummins Engine Company and The United States of America. Verification of the Cleaire Flash and Catch™ system by the ARB neither fulfills nor releases Cummins from any of their obligations under the consent decree. The ARB verifies that the reflashed engines granted verification by this letter achieve NOx reductions for retrofit purposes, not that these reflashed engines now comply with the stipulations of the Consent Decree.

Thank you for participating in ARB's diesel retrofit verification program. Should you have any questions or comments, please contact me at (626) 575-6807, or Ms. Annette Hebert, Chief, Heavy-Duty Diesel In-Use Strategies Branch, at (626) 575-6973.

Sincerely,

A handwritten signature in black ink, appearing to read 'Robert H. Cross', followed by a long horizontal line.

Robert H. Cross, Chief
Mobile Source Control Division

Attachments (1)

cc: Mr. Marty Lassen,
Johnson Matthey
434 Devon Park Drive
Wayne, Pennsylvania 19087-1816